

Vol.

1.

2. Vol: - 3 - 3 - 0.

7373 Ph




Phellepps
his

7373 2 Vol.

English School

113



2c/

2 vols

Some Hundred Specimens of Leaves of various Trees and Plants,
in imitation of Drawings, numbered, with a Botanical Index, in
2 vols. very curious

1	<i>Asarum.</i>	<i>Asarabacca.</i>
2	<i>Argentina.</i>	<i>Silverweed.</i>
3	<i>Nasturtium Indicum.</i>	<i>Indian Cresset.</i>
4	<i>Rosa Sylvestris odora.</i>	<i>Eglantine. or Sweet Brier.</i>
5	<i>Cicuta Patua.</i>	<i>Fools Parsly.</i>
6	<i>Valeriana Sylvestris.</i>	<i>Marsh Valerian.</i>
7	<i>Pimpinella Saxifraga maj.</i>	<i>Great Burnet - Saxifrage.</i>
8	<i>Lithospermum.</i>	<i>Gromill.</i>
9	<i>Lysimachia filigulosa min.</i>	<i>The lesser Codd'd Loose-strife</i>
10	<i>Fragaria Hortensis.</i>	<i>Garden Strawberry.</i>
11	<i>Pimpinella Sylb. maj.</i>	<i>Meadow ^{Burnet.} Pimpinella Sylb. me</i>
12	<i>Vitis.</i>	<i>The Vine.</i>
13	<i>Vib. Cuspa. Grossularia.</i>	<i>Goose-Berries.</i>
14	<i>Circaea Lutetiana.</i>	<i>Enchanters Night-shade.</i>
15	<i>Clymenon Florum. Ger.</i>	<i>Park-Leabel.</i>
16	<i>Corboliculus major.</i>	<i>The greater Birdweed.</i>
17	<i>Bistorta.</i>	<i>Bistort. or Snake-weed.</i>
18	<i>Anagallis Lutea.</i>	<i>Yellow Pimpernell.</i>
19	<i>Pimpinell. Saxif. Rotundif.</i>	<i>Round-leav'd Burnet Saxif.</i>
20	<i>Bryonia Alba.</i>	<i>White Briony.</i>
21	<i>Tota Bona. Bonus Asaricus.</i>	<i>English Mercury.</i>
22	<i>Mentha Sativa.</i>	<i>Garden Mint.</i>
23	<i>Cataputia Major.</i>	<i>The great Garden-Surge.</i>
24	<i>Ribes Sylb.</i>	<i>Black Currant.</i>
25	<i>Vib. Cornithiaca.</i>	<i>Currant.</i>
26	<i>Hedera Terrestres.</i>	<i>Ground-Ivy.</i>

27. *Hedera Vulg.*
 28. *Oxyacantha.*
 29. *Salvia.*
 30. *Perilymenas. Caprifolius.*
 31. *Eborinus.*
 32. *Fraxinus.*
 33. *Acer Majus.*
 34. *Salix. Laurifolia odoralis.*
 35. *Prunus.*
 36. *Alchemilla.*
 37. *Panax Coloni.*
 38. *Adiantum Nigrum.*
 39. *Meum.*
 40. *Malva.*
 41. *Malus Armeniaca.*
 42. *Faba.*
 43. *Thalictrum.*
 44. *Cicuta.*
 45. *Millefolium.*
 46. *Apium.*
 47. *Ranunculus Thalictri fol.*
 48. *Faniculatus.*
 49. *Artemisia.*
 50. *Chamaedrys.*
 51. *Plantago Major Vulg.*
 52. *Umbelicalis Bonensis.*
 53. *Spinachia.*
 54. *Plantago Quinguearbia.*

- Boy.*
Barbieris. Haw-thorn.
Sage.
Wood-Bird. Honeyfuckle.
Sprinkle Tree.
Ash.
The Sycamore-tree.
Bay-leaved Willow.
The Plum-tree.
Ladies Mantle.
clowns. All-heal.
Black Maiden-hair.
Spignell.
Mallows.
The Apricot-tree.
Beans.
Meadow-Rue. Goats Rhabar.
Hemlock.
Garrow. Milfoil.
Parsly.
Meadow-Rue Creek foot.
Fennel.
Mug-wort.
Germander.
The greater Plantain.
Bonns Rabel. Kidney-wort.
Spinache.
Rib-wort Plantain.

64	<i>Abies Romanus</i>	Roman Worm-wood.
65	<i>Campanula Rotundifolia</i>	Round-leaved Bell-Flower.
66	<i>Virga Aurea</i>	Golden Rod.
67	<i>Viola</i>	Violet.
68	<i>Hormium Sylv.</i>	Wild Chary.
69	<i>Cannabis Spina</i>	Nettle-Hemp.
70	<i>Acetosa</i>	Sorrel.
71	<i>Blitum Rubrum</i>	Red Blites.
72	<i>Melissa</i>	Balm.
73	<i>Filipendula Balg.</i>	Drop-wort.
74	<i>Galeopsis</i>	Stinking Hedge-nettle.
75	<i>Barbarea</i>	Winter Cress.
76	<i>Phaseolus</i>	Kidney Beans.
77	<i>Berberis Oxyacanthus Galen.</i>	Barberries.
78	<i>Prunella</i>	Self-Heal.
79	<i>Rosa Corinthiaca Sylv.</i>	Wild Currant.
80	<i>Vicia Maxima Dum.</i>	The Bush-Vetch.
81	<i>Bugula</i>	Bugle.
82	<i>Ophrys Bifolia</i>	Twag-Blade.
83	<i>Cruciata</i>	Cross-wort.
84	<i>Bryonia Nigra</i>	Black Briony.
85	<i>Myrrhis</i>	Sweet Cicely.
86	<i>Mercurialis</i>	Mercury.
87	<i>Tussilago</i>	Cold-foot.
88	<i>Jacobaea</i>	Rag-wort.

89	<i>Scrophularia.</i>	Fig-wort.
90	<i>Calamintha.</i>	Calamint.
91	<i>Lamium Purpurea.</i>	Red Archangel.
92	<i>Phillyria.</i>	Mock-Priest.
93	<i>Regina Prati.</i>	Queen of G Meadows.
94	<i>Ascyrum.</i>	St Peters Wort.
95	Amor. <i>Rubus Vulg.</i>	Bramble. Black-berry Cask
96	<i>Acer.</i>	The Maple-tree.
97	<i>Betonica.</i>	Betony.
98	<i>Agrimonia.</i>	Agrimony.
99	<i>Populus nigra.</i>	Black Poplar.
100	<i>Thuja.</i>	The Tree of life.
101	<i>Lysimachia Lutea.</i>	Yellow Willow-wort.
102	<i>Saponaria.</i>	Soap-wort.
103	<i>Sedopendria.</i>	Sp. green-wort.
104	<i>Ros Solis.</i>	Sun-dew.
105	<i>Viola Palus. Rotundifolia.</i>	Round-leaved Marsh Violet.
106	<i>Cotyledon. Palust.</i>	Marsh Penny-wort.
107	<i>Lactuca Agrina.</i>	Corn-sallet.
108	<i>Ficus.</i>	The Fig-tree.
109	<i>Staphylocodend.</i>	Bladder Nut-tree.
110	<i>Ligustrum.</i>	Priest.
111	<i>Nummularia Minor.</i>	The Lesser Money-wort.
112	<i>Valeriana Hortensis.</i>	Garden Valerian.
113	<i>Lupulus.</i>	Hops.
114	<i>Consolida Major.</i>	Comfrey.

115	<i>Populus Alba.</i>	The White Poplar Tree.
116	<i>Sagittaria.</i>	Arrow-wort. Arrow-head.
117	<i>Jasminus Album.</i>	White Jasmine.
118	<i>Salix May. Bulg.</i>	The Sallow-tree.
119	<i>Paeonia.</i>	Peony.
120	<i>Rosa Sylv.</i>	Dog-Rose.
121	<i>Staphyle trifolia</i> Rous.	Bladder-Nut-tree.
122	<i>Urtica vulgaris</i>	Nettle.
123	<i>Ligusticum.</i>	Ribwort.
124	Cactas <i>Portula. Chamædrys.</i>	Garden Germander.
125	<i>Costus Portula.</i>	Cost-mary. Alo-cost.
126	<i>Atriplex.</i>	Orache.
127	<i>Sambucus Aquatica.</i>	Water Elder.
128	<i>Caryophyllata.</i>	Avena: Herb-barnet.
129	<i>Althæa.</i>	Marsh Malloars.
130	<i>Caryophyllata Purpur.</i>	Purple Avena.
131	<i>Manisuris Album.</i>	White Hore-hound.
132	<i>Lampsana.</i>	Nipple-wort.
133	<i>Luteola.</i>	Dyers-Wood. Wild Wood.
134	<i>Quinguefolia.</i>	Cinquefoil.
135	<i>Corylus.</i>	Hazel-nut-tree.
136	<i>Perfoliata.</i>	Thoronwax.
137	<i>Tanacet. crisp.</i>	Carlid. Tansy.
138	<i>Sonchus Lævis</i>	Smooth Sow-thistle.
139	<i>Scordium.</i>	Water-Germander.

140 *Malus Persica.*
 141 *Pyrus.*
 142 *Helenus.*
 143 *Fragaria.*
 144 *Pimpinella Maj. Prat.*
 145 *Galega.*
 146 *Cerasus.*
 147 *Petroselinus.*
 148 *Papaver Hortense.*
 149 *Valeriana Sylv.*
 150 *Geranium Fusca.*
 151 *Ophiglossus.*
 152 *Virga Aurea fl. alb.*
 153 *Medicula.*
 154 *Filix Foemina.*
 155 *Lapathus.*
 156 *Juglans.*
 157 *Ophiglossus.*
 158 *Trifolius.*
 159 *Anagallis Aqualica.*
 160 *Ulmus.*
 161 *Alliaria.*
 162 *Lacina.*
 163 *Sambucus.*
 164 *Bardana.*

The Peach-tree.
 The Pear-tree.
 Elecampane.
 Straw-Berries.
 Meadow-Burnet.
 Goats Rue.
 The Cherry-tree.
 Parsly.
 Garden Poppy.
 Wild. Valerian.
 Dusky Cranes-Bill.
 Adders Tongue.
 Michael-mass Daisy.
 The Medlar-tree.
 The Female Fern.
 Dock.
 The Wall-nut-tree.
 Adders Tongue.
 Trefoil.
 Brooklime.
 Elm-tree.
 Jack by G. Hedge.
 The Oak-tree.
 Elder-tree.
 Barre-Dock.

165	<i>Papaver Hortense.</i>	Garden Poppy.
166	<i>Argemone lutea.</i>	Yellow Absos.
167	<i>Tithymalus bariegatus.</i>	Variegated Spurge.
168	<i>Folia Superioris ejusdem.</i>	The Upper Leaf of it.
169	<i>Cerbascus Alban.</i>	White Mullen.
170	<i>Olerus Leonis.</i>	Dandelion.
171	<i>Borago.</i>	Borrage.
172	<i>Alsine.</i>	Chick-weed.
173	<i>Tithymalus helioscopius.</i>	Sun-Spurge.
174	<i>Ejusdem. Fol. Superiora.</i>	The Upper Leaves of it.
175	<i>Scrophularia. Lutea.</i>	Yellow Figwort.
176	<i>Orchis.</i>	Orchid or Salpigloss.
177	<i>Pomus. Jacea.</i>	Knap-weed.
178	<i>Pomus.</i>	The Apple-tree.
179	<i>Oxys Trifolia.</i>	Wood Sorrel.
180	<i>Ornithogedon Majus.</i>	& Greater Bird's-foot.
181	<i>Fraxinus.</i>	The Ash tree.
182	<i>Chamaedrys Lutea.</i>	Wild. Germander.
183	<i>Hypericum. billard.</i>	Hoary S. Johns-wort.
184	<i>Barbarea.</i>	Winter Crocus.
185	<i>Marrubium Aquaticum.</i>	Water Horehound.
186	<i>Siphon. chirargorum.</i>	Flue-weed.
187	<i>Trifolium Paludosum.</i>	Marsh-Trefoil. Buck-grass.
188	<i>A. sancti huius caly.</i>	Worm-wood.

189	<i>Geranium Robertianum?</i>	Herb Robert.
190	<i>Lapathum Sanguineum.</i>	Blood-wort.
191	<i>Menianthes.</i>	Buck-Bean.
192	<i>Geranium Columbinum.</i>	Doves-foot Crane-Bill.
193	<i>Pelastem.</i>	Butter-Bar.
194	<i>Mosses Diaboli.</i>	Devil's Bit.
195	<i>Calltha Palustris.</i>	Marsh-Marigold.
196	<i>Sphondylium.</i>	Cor-Parsnep.
197	<i>Herba Paris.</i>	One Berry.
198	<i>Adiantum Album Petras.</i>	White Maiden Hair.
199	<i>Astragalus Sylvaticus.</i>	Wood Prase.
200	<i>Aurea Berga peregrina.</i>	Outlandish Golden Rod.
201	<i>Rhamnus Cathartica.</i>	Buck-Thorn.
202	<i>Alnukengi.</i>	Winter-Cherry.
203	<i>Lilium Conbalium.</i>	Lilly Convalley.
204	<i>Solanum Letkale.</i>	Dradly Night-Shade.
205	<i>Herba Doria.</i>	Doria's Wound-herb.
206	<i>Melilotis odorata.</i>	Sweet Melilot.
207	<i>Cucumis Asiaticus.</i>	Wild Cucumber.
208	<i>Cannabis.</i>	Hemp.
209	<i>Mormina.</i>	Clary.
210	<i>Asperula Lutea.</i>	Wall-Willow-Hens.
211	<i>Glycyrriza.</i>	Liquorice.

212	<i>Flos Ranunculi.</i>	The Flower of Crow-foot.
213	<i>Imperatoria.</i>	Master-wort.
214	<i>Flos Boraginis.</i> <i>Bryoniae alb.</i>	The Flower of Bryony.
215	<i>Flos Boraginis.</i>	The Flower of Borrage.
216	<i>Flos Anagallidis lutea.</i>	The Flower of Yel. Pimpernel.
217	<i>Caryophyllus.</i>	Calyc. Flower.
218	<i>Sideroxylon.</i>	Thorn-Apple.
219	<i>Helleborine.</i>	Bastard. White. Hellebore.
220	<i>Christophoriana.</i>	Herb Christopher.
221	<i>Erica. Calyc.</i>	Heath.
222	<i>Ascyron Palustre.</i>	Round-leaved S. Peters-wort.
223	<i>Valeriana.</i>	Penny-Royal.
224	<i>Amaracus.</i>	Marjorome.
225	<i>Rubus Calyc.</i>	Bramble.
226	<i>Fagus.</i>	The Beech-tree.
227	<i>Castanea.</i>	Chesnut-tree.
228	<i>Centa.</i>	Rue.
229	<i>Aquilegia.</i>	Columbines.
230	<i>Lobelia.</i>	Lobage.
231	<i>Sanicula.</i>	Sanicle.
232	<i>Asperula.</i>	Wood-roof.
233	<i>Sorbus sylv.</i>	The Quicken Tree.
234	<i>Saxifraga Aurica.</i>	Golden Saxifrage.
235	<i>Valeriana Graeca.</i>	Greek. Valerian.
236	<i>Gallia alb. pal.</i>	White Ladies Bed-straw.
237	<i>Thymus folia Boraginis.</i>	Germander. Chick-weed.

238	<i>Parietaria.</i>	<i>Pellitory of Wall.</i>	36
239	<i>Canalis.</i>	<i>Hedge-Parsley.</i>	38
240	<i>Primula vris</i>	<i>Cow-slips.</i>	36
241	<i>Viola Matronalis.</i>	<i>Dam's Violets.</i>	30
242	<i>Myrrhis Sylv.</i>	<i>Hemlock-chrib.</i>	36
243	<i>Alnus Vulg.</i>	<i>The Alder Tree.</i>	36
244	<i>Chelidonium majus.</i>	<i>Great Celandine.</i>	38
245	<i>Angelica Sylv.</i>	<i>Wild Angelica.</i>	39
246	<i>Plantago Aquatica.</i>	<i>Water-Plantain.</i>	39
247	<i>Gratiola.</i>	<i>Hedge-Hyssop.</i>	39
248	<i>Grana Parrassii.</i>	<i>Grape of Parrassus.</i>	39
249	<i>Syringa carulea.</i>	<i>The Blue Pipe-tree.</i>	39
250	<i>Salvia Angustifolia.</i>	<i>French Sage.</i>	39
251	<i>Chelidonium minus.</i>	<i>The Lesser Celandine.</i>	39
352	<i>Betonica Aquatica.</i>	<i>Water-Rotary.</i>	39
353	<i>Valeriana.</i> <i>Helleborus Niger.</i>	<i>Stinking Ben.</i>	39
354	<i>Hypericum glutinosum.</i>	<i>Smooth St John's-wort.</i>	39
355	<i>Helleborus Niger.</i>	<i>Black Hellebore.</i>	38
356	<i>Cinca. Perbinca.</i>	<i>Periwinkle.</i>	38
357	<i>Syringa Alba.</i>	<i>The White Pipe-tree.</i>	38
358	<i>Asinum dulce.</i>	<i>Silver.</i>	38
359	<i>Anana Dulce.</i>	<i>Better-sweet.</i>	38
360	<i>Asp. Lonic. Lannab.</i>	<i>Dutch-Agrimony.</i>	38
361	<i>Cona gallica.</i>	<i>The Flwr. of Lady Bird-straw.</i>	38
362	<i>Flos caryophylli.</i>	<i>The Bull's-lower.</i>	38

363	<i>Supuraria Dodonaei.</i>	Dodonaeus' Eye-bright.
364	<i>Mentha Sylv.</i>	Wild Mint.
365	<i>Solanum viscos.</i>	Potatoes.
366	<i>Pastinaca Latifolia.</i>	Parsnip.
367	<i>Pis.</i>	Pease.
368	<i>Flor. Pis.</i>	The flower of Pease.
369	<i>Adiantum Albu.</i>	Wall Rue.
370	<i>Castanea Equina.</i>	Horse-chestnut.
371	<i>Filicula.</i>	Quart-fern.
372	<i>Polypodium.</i>	Polypody.
373	<i>Laurus Tinus.</i>	Laurus Tinus.
374	<i>Laurus Nob.</i>	The Bay Tree.
375	<i>Scabiosa.</i>	Scabious.
376	<i>Saxi. Pratense.</i>	English Saxifrage.
377	<i>Jacobaea Triana.</i>	Hoary St. James's-wort.
378	<i>Persicaria Inula.</i>	Biting. Smart.
379	<i>Cynogloss.</i>	Hounds' Tongue.
380	<i>Persicaria Mitis.</i>	Mild. Smart.
381	<i>Carum.</i>	Caraway.
382	<i>Rugula Flore albo.</i>	White Bugle.
383	<i>Ranunculus.</i>	Crow-foot.
384	<i>Cannabis Indica.</i>	Yellow Hemp-Nettle.
385	<i>Linum catharticum.</i>	Great Wild Basil.
386	<i>Ranunc. Flammula.</i>	Spear-wort.
387	<i>Eupatorium Cannab. Pa.</i>	The Fennel Hemp-Nettle.

388	<i>Portulaca Aquatica.</i>	Water-Purslane.	415
389	<i>Quingefolia Palustre.</i>	Marsh-Cinque-foil.	414
390	<i>Hypericon non perforatus</i>	Imperforated St. John's-wort	41
391	<i>Filix Mas.</i>	The Male Fern.	418
392	<i>Amygdalus.</i>	The Almond-Tree.	417
393	<i>Colubilis Nigra.</i>	Small-Bird-weed.	416
394	<i>Trachelium Minus.</i>	Little Throat-wort.	415
395	<i>Betula.</i>	The Birch-Tree.	422
396	<i>Carpinus.</i>	The Horn-beam-Tree.	422
397	<i>Helianthem.</i>	Dwarf Cistus.	422
398	<i>Lilva.</i>	The Lime-Tree.	422
399	<i>Hypericum perforatum</i>	Tree - St John's-wort.	422
400	<i>Cirga Sanguinea.</i>	The Dog-berry Tree.	422
401	<i>Pimpinella Minor.</i>	The Lesser Burnet.	422
402	<i>Malus Sylvestris</i>	The Crab-tree.	422
403	<i>Bellis Minor.</i>	The Lesser Daisie.	422
404	<i>Erigeron.</i>	Groundfell.	422
405	<i>Bursa Pastoris.</i>	Shepherd's Purse.	430
406	<i>Raphanus Hispanus.</i>	The Spanish Radish.	431
407	<i>Anserine.</i>	Goose-grasse.	432
408	<i>Halimol.</i>	Loc. - Purslane.	433
409	<i>Ranunculus fl. lobato.</i>	Lobed Crow-foot.	434
410	<i>Trilapi.</i>	Tracle - Mustard.	435
411	<i>Lactuca Scariola Superior.</i>	The Upper Leaf of Lettuce.	439
412	<i>Lactuca.</i>	Let-tuce.	438

413 *Loxanth Lab. Maralis*
 414 *Plantago Erucea*
 415 *Chamaecyparissus*
 416 *Dracunculus Hort.*
 417 *Raphanus Rusticanus*
 418 *Morus*
 419 *Sibolana*
 420 *Rubus Idaeus*
 421 *Trifolium*
 422 *Salvia Agrestis*
 423 *Rumex Foderacens*
 424 *Rubus Fruct. casso.*
 425 *Digitalis*
 426 *Leucaearia marina*
 427 *Imperatoria*
 428 *Parthenis*
 429 *Jacobaea Palustris*
 430 *Corallina*
 431 *Cerasus*
 432 *Granis Moschatus*
 433 *Radix Ursina*
 434 *Salix Angustifolia*
 435 *Carduus Molis*
 436 *Laurus Latifolia*
 437 *Asteris Variegata*
 438 *Phalangium*

Foxglove - Sow-thistle.
 Ribwort - Plantain.
 Lavender - Cotton.
 Tarragon.
 Horfe - Radish.
 The Mulberry-Tree.
 Southern-wood.
 Rasp-Berry.
 Hedge - Mustard.
 Wood - Sage.
 Fly - Crowfoot.
 Strawberry.
 Fox - Globe.
 Sea - scurvy - Grasse.
 Master-wort.
 Fraber - fen.
 Marsh - St James's-wort.
 Coralline.
 The Cherry Tree.
 Musk - cranet - Bell.
 Spignell.
 Narrow-leaved Willow.
 The Gentle Thistle.
 Laurel.
 Variegated Mug-wort.
 Spider-wort.



439	<i>Linum Catharticum.</i>	Mill-Mountain.
440	<i>Myosotis</i>	Mouse-ear.
441	<i>Pastinaca Aquatica.</i>	Water-Parsnip.
442	<i>Bellis Major.</i>	The greater Daisie.
443	<i>Cruciata.</i>	Cross-wort.
444	<i>Sambucus.</i>	Dwarf-Elder.
445	<i>Sambucus fol. Multifida.</i>	Jagg'd Elder.
446	<i>Basilicae Ueneris.</i>	London-Pride.
449	<i>Mezerion.</i>	Mezerion.
448	<i>Lilium Rubrum.</i>	Red Lily.
449	<i>Verbena foliis Supinis.</i>	The upper leaf of Verbain.
450	<i>Tanacetum Vulgare.</i>	Common Tansy.
451	<i>Ranunculus Apii folio.</i>	Parsley-leaved crowfoot.
452	<i>Flos Graminis Parnassii.</i>	Flower of Grass of Parn.
453	<i>Hydrocotylum.</i>	Water-Dock.
454	<i>Jacobaea pal. fo. multifida.</i>	Jagg'd Water-St James-wort.
455	<i>Lysimachia spicata.</i>	Spik'd Loose-strife.
456	<i>Vicia.</i>	Bech.
457	<i>Cardamine.</i>	Lady-smock.
458	<i>Anagallis Longifolia.</i>	Long leaved Brooklime.
459	<i>Phellandrium.</i>	Water-Hemlock.
460	<i>Pepo.</i>	A Pumpkin.
461	<i>Salvia. Latifolia.</i>	Broad leaved Sage.
462	<i>Corona Imperialis.</i>	Crown Imperial.
463	<i>Callia.</i>	Marigold.

464	<i>Plantago.</i>	Mountain Lilly.
465	<i>Cotula.</i>	May-weed.
466	<i>Salix. folio glauco.</i>	The osier.
467	<i>Sabina.</i>	Sabine.
468	<i>Arundo Ballatoria.</i>	Common Reed
469	<i>Auricula. Ursi.</i>	Beard's Ears.
470	<i>Iris Palustris.</i>	Water Flower-de-Luce.
471	<i>Carex.</i>	Sheep-grass.
472	<i>Succisa. Pacea.</i>	Mattillion.
473	<i>Succisa.</i>	Devil's-Bit.
474	<i>Lingua. Aris.</i>	Ashen-Hey.
475	<i>Achrota. Pralensis.</i>	Meadow-Sorrel.
476	<i>Samex Aceris.</i>	Maple-Hey.
477	<i>Bistorta.</i>	Snake-weed.
478	<i>Potamogeton.</i>	Pond-weed.
479	<i>P. larmica.</i>	Sneeze-woed.
480	<i>Filipendula. Ag.</i>	Water-Dropwort.
481	<i>Serratula.</i>	Saw-woed.
482	<i>vasculu. sem. Bolbonach.</i>	The Seed-bell of Sallia.
483	<i>Palmaria. Aurs.</i>	Golden-Lung-woed.
484	<i>Samex Aceris Majoris.</i>	Sycamore Hey.
485	<i>Samex. Bolbonach.</i>	The Seed of Sallia.
486	<i>vasculu. sem. Bolbonach.</i>	The Seed bell of Sallia &c.
487	<i>Viola Palustris.</i>	Water-Violet.
488	<i>Hepatica. Rabitis.</i>	Rabbit-Liver-woed.


489	<i>Acetosa Romana.</i>	Roman Sorrel.
490	<i>Telephium.</i>	Oxeye.
491	<i>Calliopsis Pat. f. duplici.</i>	Double Marsh-Marigold.
492	<i>Gramen striatum.</i>	Ladies Lace.
493	<i>Flos Africanus.</i>	The African Marigold.
494	<i>Sambucus Apia Solio.</i>	Parley-Elder.
495	<i>Cucumis.</i>	Cucumber.
496	<i>Lysimachia Maj.</i>	Codlins & Cream.
497	<i>Ranunculus Hortensis.</i>	Garden-Crowfoot.
498	<i>Geranium Botrachoides.</i>	Crow-foot Cranes-bill.
499	<i>Viola Snodora.</i>	Dog's Violet.
500	<i>Cracca.</i>	Strangle-Tare.
501	<i>Lactuca Germanica.</i>	Silesia Lettuce.
502	<i>Anethum.</i>	Dill.
503	<i>Fumaria Bulg.</i>	Fumitory.
504	<i>Lychnis.</i>	Rose-Campion.
505	<i>Filix Femina.</i>	Female Fern.
506	<i>Barbarea muralis.</i>	Wall-Cress.
507	<i>Pastinaca tenuifolia.</i>	Carrot.
508	<i>Senecio.</i>	Senna.
509	<i>Cicer.</i>	Chick-Pease.
510	<i>Flos Afric. Minor.</i>	The Lesser Af. Marigold.
511	<i>Cherophyllum.</i>	Cherbill.
512	<i>Eleoselin.</i>	Smallage.
513	<i>Blattaria Purpurea.</i>	Moth-Mullein.
514	<i>Traxinella.</i>	Bastard Dittany.

1. It delights in woody, & Shady Places; and grows plentifully in S. Mary's Park. Right City of Paris. Its Leaves & Roots are very Bitter & leave a Red Tincture upon Blue Paper. it contains a great quantity of Volatile, Aromatick, & oily Salt, impregnated with a pleasant Sulphur, Acid, & earthy Parts. Chymicall Analysis it yields a copious quantity of oil, Acid Phlegm, Earth, with a small Portion of An Oily Spirit. Its Use. Hydropick, Apertive, Cathartic, Diuretick, Diaphoretick, Hepatic, Emmenagogick, Expectorick, Sigmoidick, splenetic, Stomachic, reduct to Powder, & therefore Cephalick. it opens & obstructs of G. Gall. It also dissolves. Its usefull in Long Quencher Agues, Green Sickness, Worms, Molercholy & Flegm, Cholera Gouts, Scatrick, Asthmās, old Coughs, Ruptures & Cancers, Biting of wild Beasts, Cancers, St Anthony's Fire, & Inflammation of Eyes. Its Use in Powder from ʒss to ʒi. in Ale or Wine. in infusion from ʒi. to ʒiiss. or ʒiiss. ss. if you take Juice of G. Leaves, eight, or nine will be sufficient.

2. It grows in Moist Places, & Near Highways. It is of a Taste something Saltish, but very Sliprick. It leaves a deep Red Tincture on Blue Paper, from whence it is conjectured that it has a Acid salt of G. Natural salt of G. Earth being Filtr'd thro' the whole Texture of this Plant, produces there with G. Earth an Aluminous Salt, join'd with a small Portion of Sulphur. Its Use. Astringent, Cosmetick, De-



1. Asarabacca :



2. Siluor Wood



3. Indian Crosses :



4 Sweet Brier :



5. Fools Parsly :



Lenor, Febrifuge, Lithontriprick, Nephri-
tick, odontalgick, Signatur, & Trauma-
tick and therefore Very Sovereign in all
manner of Fluxes, Bleeds in y^e Mouth, y^e Stone,
and Gravel in y^e Reins of y^e Ror Bladders, Pains
of Women in Labour; it Asswages y^e Heat of y^e
Brain, it's distilled Water is excellent for Bleeds
in y^e Eyes, Red Faces, & all deformities thereof.

3. The Name gives you y^e Place of it's growth,
and as it hath y^e same Taste, & Smell as other
Crabs, & in a much more eminent Degree, I'd
past Dispute, that y^e Nature of it is y^e same.
This Plant is Sharp, & Biting, & leaves but a
faint Red up Blew Paper, it contains a salt
much resembling y^e oxysal Diaphoreticum Ange-
sals, which is an Alcaline salt I'mold in an
Acid: Beside this salt, it has a small share of Salt
Armoniac, a little Sulphur, & a great Deal of Earth.
For Chymically Analyz'd it yields an Acid, an
Alkali plentifully, a little of an Urinous spirit,
very little Sulphur, & saith enough. It's Aperient,
Diuretick, Emmenagogick, Anti-Hydriack, & Scor-
butick.

4. It grows among Pot-herbs, it's something sharp in Taste,
& it's smell is little as said of it.

5. This is Astingent, Lithontriprick, Scorbutick,
Diuretick; y^e Berries are good in a Traber,
The Spongy Balls are Hypnotick, in powder
mixt with Honey, & sal Crani Humani, they help
y^e Nephritis, & break down belly worms, & cure y^e Colick.




6. It grows in Marshy grounds, and has in all Probability the same Properties, & Vertues, as the Wild. Valerian. which see. N. 147.

7. It grows commonly in Woods, & Shady Places, especially at Hambrough in York. Shire. The Root is of a shape, hot taste, & of a kind of an aromatick smell. It is singular good against the Pain of the Reins & Bladder, Lithontriprick, Diuretick, & Alexipharmick, it is the Juice of it taken in any Cordial Wine.


8. It grows high high Ways, & Hedges. it bears a green any Red Tincture upon Blue. Paper, it is a good Astringent. The fruit bears a faint Tincture. The Leaves chymically Analyz'd afford no concreted Volatile Salt, but a considerable quantity of an Oily Spirit: a copious quantity of oil, & Earth is extracted from them. The Seeds besides oil, & earth, yield a small quantity of concreted Volatile Salt. It is Diuretick, Lithontriprick, Nephretick, & seed reduced to Powder, & given in Roman's milk to Women in Labour to give liberty of the flow. It is also Carminative, & good against Agues.

9. It grows in Watery, & Marshy places. It is astringent, & Trismatrick. In distilled Water of it is a present Remedy against the Inflammation of the Eyes, & clears the sight.

10. The Leaves are Signotick, Absterib, Diuretick, Cosmectick, & Hypotick, Scorbutick



8: Gromell :



8


6: marsh Valerian



7 Saxifrage




11 meadow Burnot



9: the lesser coddled
Loose strife



10: Garden Strawberry



Anti-Sclerotic, Ophthalmick, Emmenagogick,
and anti-helminthick. γ juice, or Essence
Strengthens γ Gums, fastens Loose Teeth,
& heals bleedings γ Mouth. γ Berries are
Alexipharmick, Cardiack, help Melancholy
provoke Urine, & are good against γ Stone. &c.

It is chiefly found in ~~Mountain~~ Meadows,
& Pasture, & ~~in the~~ ground, that are moist, &
low. It has a saltish taste & Much resembles that
of a Nut. it has but a faint Resemblance
upon Blow Paper. Chymically Analy'd it af-
fords Several Acid. Liquors, a great quantity
of Concrete. Volatile Salt, a great Quantity
of Oil, & Earth. It is Cardiack, Alexipharmick,
Diaphoretick, Detersive, Traumatick, Diuretick
& Antiscorbutick. Reduced to Powder, & sprin-
-kled upon Cancerous Sores, it hinders their
Spreading, it may Relieve Docters Boles.
It prevents Abortion, stops Vomiting occasion'd
by Bilious Humours, γ Bloody Flux, Ca-
tarrhs, & γ Monthly Terms. it exhilarates
the Spirits, helps Trembling of γ Heart,
cures Consumptions, Spitting of Blood, and
is a Sovereign Remedy against γ Plague,
& Malign Fevers.

12. The Leaves, & Tendrils are Acid,
rough, cool, & strongly bind; they are ex-
cellent in Gargarisms for hot blisters in the mouth
& in Drinks & Broths against the heat of the
Stomach, Fluxes, Vomitings, Bleedings. they
stay the Longing of Women with child. they help
the Pica, Chlorosis, & Hemoptysis. Tears of the
Vine, which are a clear juice, that bleeds, or
Weeps from the Stalks, are Lithontriprick, can-
diack, & opthalmick. The Gum, which sweats
out of the Branches taken in wine forced away
the Gravel, sayd on letters, & Ringworms, if
rubd. over them. it is good against the Itch. Rubbd.
often with Oil it causeth the Hair to fall off, the
Water, which drops from the ends of the Branches
when burnt, has the same effect, Rubbd. on warts
it takes them away, the Ashes thereof applyd
with Oil of Roses, Rue, & Vinegar help the
inflammation of the spleen. The leaves bruised, and
applyd give ease in the Head-ache.

13. The fruit is cooling, good in fevers, & heats of
the Stomach. It Cardiack, refrigerant, Signiticke
& anti-tetrick, it causeth an Appetite.

14. It delighteth in shady Places. It is without doubt
a kind of Solanum, for the leaves, flowers,
& seed-bosses, & the seeds themselves Taste exactly
different, yet the leaves of both chewed leave
the same Ingrateful, choking Fast in the Larynx
much resembling that of Tobacco, & the little



14 *Enchanter's night Shade*

13. *Gooseberry*:



18 yellow
Pimpernell:

12 Vine:

15 Parke -
Glands

17: Bistort or Snake-wood:

16: the Greater Bindweed

hairy Balls, that come after the Flower is gone
have much the same Smell as the leaves of Solanum
Scandens, tho' not so strong. Hence we may conjecture,
that the Virtues are the same.

15. By its Stiptick. Taste, tho' it has not that
bitterness, which is found in St. Johns-wort,
joyn'd with it, & its Aromatick Smell, we may
conclude that the Virtues are in a Manner the same.
Vide Hypericon.

16. It grows almost in every Bush. & leaves are some-
thing Bitter, but the Flowers much more. It is A-
perient, Discurssive, emollient, Anti-hydropsick,
and according to Praebatins gently purges bit-
ter humours. it troubles the Stomach, & therefore
ought to be corrected with Cinnamon, Ginger, &
Mustick.

17. It is frequent in the Meadows & Pastures in York-
shire. The root is very binding, & exsuffarm-
ent. Suffereth; it stops vomiting, helps the Inflamm-
ation of the Mouth, & Throat, if held therein, & good
against Fevers, & prevents Miscarriage.

18. It grows in Moist & Shady Woods. it has a
Rough, Rustre, and stiptick Taste. joyn'd
with a Mixture of Bitterness, & herefore must
be a good Pulmonary, & proper for all those
distempers, in which Astringents are accom-
p'd of good Use.

19. This grows where you Great Burnet, -
Saxifrage does, & has the same virtues. it only
differs from it in Roundness of the Leaves.

20. It grows in Wet, Where about Hedges, and
Woods. The Roots, Leaves, and Seeds of Briony,
do all purge strongly. their virtue depends
on a Sulphur join'd with salt-Armoniack, &
Earth: for by A Chymical Analysis, a great
deal of Oil, & Acid Plega. is extracted from
Briony, an inconsiderable quantity of Volatile
Salt, & yet a Smaller quantity of Earth extracted
from it, than from the Roots of Mechoacan, up-
on which account Briony purges more violent-
ly than it. It is Hepatick, & Splenetic, Hysterick,
Emmenagogick, and of great Use in Dropsie,
Gout, falling Sickness, Nephritis, Palsy, Verti-
go, & Maladies of a long continuance. it cures
Quartans Apply'd. to the Temple, & pricks the Root w.
prescrib'd drgts. & powdered from Ds. to Dss. y^e
Juice from one Gram to ʒss. & the decoction of y^e
Roots to ʒss.

21. It grows in high ways, & among Pot-herbs.
It is dehumid, cleanseth, & heals filthy Ulcers;
the dried Leaves eaten too soon by Bees. it
kills worms bred in the Putrid Ulcers of four-
footed Beasts, if it be bruised, & Lay'd on. Tra-
agus affirms it for a certain Truth.



19



15




20



22



23



21



13 Gooseberry




19. round leaved
Burnst
Saxifrage



20 White Briony



23 the great =
Garden Spurge :



21 English Mercury :



22 Garden Mint

22. Upon a Chymical Analysis, Mint is
found to yield a large quantity of oil,
and Brinous Spirit, wherefore its very pro-
- bable, that they abound with an oily Vol-
- tile Salt, & therefore it is no wonder, if it
helps to restore a prostrated Appetite, & dissi-
- pates Crudities, Belchings, & Flatulencies.
It is aperient, Urine, & Vulnerary. it stops
Comings, & Women's Courses, it is of singular use
in $\frac{1}{2}$ pains of $\frac{1}{2}$ Borelli, $\frac{1}{2}$ Vertigo & obstruction
of the Liver. outwardly Applied it is excellent
in Colic, & helps watering Eyes. it is
anti-hydroptic, Hysterick, & Diuretick.

23. Upon a Chymical Analysis, it yields a large
quantity of oil, Earth, & acid Liquors: but an
acid chiefly predominates in $\frac{1}{2}$ root, upon which
account it is sharper than $\frac{1}{2}$ herb. $\frac{1}{2}$ Milky juice
seems to proceed from $\frac{1}{2}$ large quantity of Sulphur
which being diluted by $\frac{1}{2}$ serum Phlegm, it turns
into a Milky colour, after the same manner, as
happens, when Emulsions are prepared from oil & gin-
- seeds. $\frac{1}{2}$ Bark of $\frac{1}{2}$ root being steeped in very
sharp Vinegar for $\frac{1}{2}$ space of 24 hours brings
away by Stool a Large Quantity of Serum. being
given from $\mathcal{D}\mathcal{S}$. to a $\mathcal{Z}\mathcal{I}$. in substance, but in
- fusion to $\mathcal{Z}\mathcal{II}$. it may be corrected with some
Drops of $\frac{1}{2}$ Spirit of Sulphur, or Cream of Tartar.
The Root, Leaves, & Seeds of ~~Bromus~~ do all
purge, and are a Panchymagon.

24.

It grows commonly on the Banks of Rivers, and Brooks, especially in Cumberland, & Yorkshire. In $\frac{1}{2}$ County first named, I have found it $\frac{1}{2}$ on $\frac{1}{2}$ Banks of $\frac{1}{2}$ River Eden, where it is call'd Black-berry, in $\frac{1}{2}$ Latter it is to be found by $\frac{1}{2}$ Side of a Brook in Bramham. The Berries are thought to be of great Use in $\frac{1}{2}$ Scurvy, & are upon $\frac{1}{2}$ account nam'd Scurvy Berries. They are also much esteem'd in $\frac{1}{2}$ Stomach & Gravel. The Leaves, & $\frac{1}{2}$ Fruit from their Fetid smell, smell may be thought to be Anti-Hysterical.

25. They are to be found in Every Garden they temper $\frac{1}{2}$ Acrimony of $\frac{1}{2}$ Choler, & therefore are useful in Bilious Distempers: They Quench Thirst, comfort a hot Stomach, heal a Dysenteria, stop Fluxes, & Vomiting, Resist Putrefaction, cool Inflammations, create an Appetite, & are excellent in Fevers, $\frac{1}{2}$ Heart-Burn, & $\frac{1}{2}$ Jaundice.


26. Nothing is more common $\frac{1}{2}$ Leaves are Bitterish, of a strong Balsamick, & Resinous, but more Plainly of a Dead-Pottle smell. They have no Red Tincture upon Blew Paper. However, may conjecture, that it's Salt is not much different from Tartar. vitriolated, this Salt if mix'd but with a small Quantity of Salt Armoniac. but with a sufficient Portion of Sulphur, & Earth, it affords a Volatile concreted Salt upon a.



27



26



33

61



24




25



30




28



29

30 Wood Bind:



24 Black Currants



27 Ivy



28 Hawthorn:




25 Red = =
Currants



26 Ground Ivy:



29 Sage



61 Kidney Wort:

Chymical Analysis, but a small portion of an Vin-
ous spirit, a large quantity of oil, Earth, and
Phlegm, that is partly Acid, & partly Pungent: It is
Aperient, Detensive, Traumatick, Diuretick, Li-
thotriptick, Sigmoidick, Analeptick, Anti-Helmin-
tick, Ophthalmick, & Cephalick.

29. The Bark has a Rancid. Oily Taste, Bi-
ling, & of a Strong Scent. y^e Gum has an. Opptea-
sant Smell, & therefore an Enemy to y^e Herbes.
It is of a Burning Caustick Taste. it kills Lice, &
It is. & leaves bruised with Vinegar, & Rose-water
& Applied to y^e Fore-heads, & Temples help y^e Fren-
-sy, & Head-Ache. y^e Berried are Diuretick, Li-
thotriptick, Alexipharmick, Emelick, and
Cathartick.

28. Upon a Chymical Analysis besides Several
acid Lignons, it yields in a small quantity of Vi-
nous spirit, No Volatile Salt or Concrete, but a great
deal of Oil, & Earth. its Salt resembled much y^e of
Coral, a large portion of Sulphur abounds in it mixt
with a little Salt Armoniack. It is astringent, &
Traumatick. y^e Flowers steeped in Wine. 3. Days, & then
distill'd, are excellent in y^e Colic, & Pleurisy, &c.

29. It abounds in a in a Volatile, Aromatick Salt, &
Cephalick, Uterine, Cardiack, Preloral, Alexipharmick, An-
-Leptick, Carminative, Sigmoidick, Anodyne, & Diuretick.

30. The leaves are Stiptick, leaves y^e Red Tincture. y^e
- on Blen Paper. its Salt resembled y^e of Salt Armoniac
but mixt with a Fetid Oil, & Earth. It is detensive,
Traumatick, Cosmetick, Sigmoidick, Ophthalmick, & regu-
-lar in y^e Vula. &c.

31. 1 Stone, or four of E. Berniet purge Upwards, &
Downwards, Dryd, & Reduced into Powder. They
kill Lice.

32. The Liab. of it Upon a Chymical Anal. yields a copious Quantity of Acid Liquor, a small quantity of Brimst Spirit, no Volatile salt concreted, a large Portion of Earth, & Oyl, and a middling one of fixed salt. hence tis conjectured that its Salt comes nigh to which Angels Salt is named. Oxysal. Diaphoretic, its Salt is mixt with a great Deal of Sulphur, & Earth. tis Aperient, Diuretick, Lithon triack, Hepatick, & Sudorifick. &c. tis used against Dandrill.

33. Tho' it grows not spontaneously in our Nation, yet Nothing is more common. It is usually called by Geomere. Tree. & Bark is bitter, Rough, & sometimes mucilaginous, & juice, which runs on tapping, is Sweet, Rancous, and Astringent. & leaves have a Rough Taste. The Virtue lies in & Astringent with a little Bitterness.



31



32



33



35



34

32

34 B
W

32 Ash :

31 spindle Tree :


33 Sycamore
Tree :

34 Bay leaved
Willow

35 Plum-tree :



39



40



37



36



38

38

43

omitted from 40 to 50


40 Mallows



39 Spignoll



36 Ladies mantle



38 Black maiden hair:



37 Clowns All-Hoale

53



51 Broad Beans

53 Hemlock:




50 Apricot



54 yarrow

56 meadow Rue
Crownfoot:



55 Parsley:

52 Goats Rhubarb

H.




59




58



65




57



62



63




61

57

58 mugwort



57 Fennel :




59 Gormander



63 Ribwort or
long Plantain



62 Spinache :




61 Kidney Wort :




60 Broad Plantain




64




65




66




67



68




69




70

6A

66 Golden Rod




65 Round leaved
Bell Flower



64 Roman Wormwood




67 Violet



68 wild Clary :

70 Sorrel :



69 Noble Hemp :

11



92




91.



94

66 golden Rod



72 Baulm



71 Red Blitor:



74 Stinking Hedge Nettle



73 Drop Wort



78




75



79



77



76



80

75


79

Wild Currant


78 Self-Heal



75 Winter Cress



77 Barberry





80 The Bush Vetch



76 Kidney Beans


///




83 Cross wort :



82 Tway Blade :



81 Bugle :




84 Black briony




85 Sweet Soley





88 Rag wort





87 Colts foot



86 Mercury



90: Callamint



91 red Archangel



89 Figwort



92




95



93



94




96




86

92

94 *St. peters wort*



92 *mock Priest*



93 *Quon of the Meadows*




95 *Bramble*



86. *mercury:*



96 *maple Tree:*





97



99



97

98



100.



103

99 Black Poplar:



97 Botany




101 yellow willow wort



98 Agrimony leaf




100 the Tree of Life




105 the round leaved marsh:
Violet:



106 Marsh Penny wort



103 Splson wort



104 Sun dew



103 splson wort


102 Sope wort



107




108



109



110





111

109 Bladder nut Tree

107 Corne Sallot

108 Fig Tree



111 the lesser money wort

110 Priuet

f



112



113



114



115

112 Garden Valerian




113 Hops



114 Comfrey




115 The white Poplar Tree





812



516



515

116

104 Ros Solis :

116: Arrow wort



117 white Jasmine


27



112



119



120

119

112 Garden Valerian


119 Peony




120 Dog-Rose



125 Cost mary



123 Privet



121 Blador nut Tree



124 Garden Germandor



122 stinging Nettle



126



127.



113



128



129

129

126 Orack

127 Water Elder



128 Herb Bonnet



113 Hopi

129 Marsh Mallows

V.



133.



132



98



131.




130

134

Stig. of
98 Agrimony



133 Dyer Wood = wild woad :



132 Nipple wort



130 Purple Anemone :




131 White Hore Hound :



134



135



136



136



137

139


135 Hasel nut Tree



134 Cinquefoil



136 Thorowax




136




137 Curled Tansy




138



139




141



140




143



142


145

139 water Gormander




140 Peach



Tree



141 Pure Tree



138 smooth Sow-Thistle



142 Ellicampagne



143 Straw Berries




77



78



81



84

78 Self Hoak

78

144 meadow Burnet

23 the Great Garden Spurge

CC



146



145



95

152

145 Goat Rue



146 the Cherry

Tree.



95 Black Cherry Bush





120



42.



48

155

147 Parsly



120 wild Briar



148 Garden Poppy



23



149




14

198

23 Garden Spurge



149 wild Valerian



14 Enchanter's night shade

1874



150

161

2

2

150 Dusky Cran's Bill



2 Silver wood

G. 2.



152
166

153 maddox Tree

151

Adams Tongue



154 Female Fern



152 michaelmass

Daisy




153

Michaelmass Daisy

154



155



155


156




157

158


155 Dock



157 adders Tongue




156 Wall nutt Tree



157






60



160



158




159



165

175

60 Great Plantain



160 the Elm Tree



158 Trofoil



161 Jack by the Hodge



159 Brooklime

562



563


564

178

164

162

Oke Tree



163 Elder Tree



164 Burdock



169 White mullein

167




167 Variegated spurge

166 yellow Anemone

165 Garden Poppie

11 M.




170



171



168



172

Chickweed



173



174

179



174 1/2



68



42



170 Dandelion


171 Borrage



174 the upper leaves of sun spurge


173 sun Spurge

Handwritten initials or mark.



178 apple Tree

175 yellow Figwort



176 Orchis or Satyrion




177 Knap-wood



179



182



181



186



180




183

179

180 the Greater birds foot

181 the Ash Tree

179 Wood sorrel



183 Hoary St
Johns wort




182 wild Germander



166 yellow Anemone



184



186



185



56




60

185 water Horehound



184 winter Crocus =




186 Flox wood



60 Plantain



36 Lady's mantle



187



190



188



189

203

187 Buck Bean



190 Blood wort




189 Herb Robert



188 Wormwood

R.R.



194 *Smile Bitt*




191




193 *Button Burr*




191 *Marsh Trofoil*



192 *Doves foot*



192




195



196




52




496

195 Marsh Marigold.



192 Cranes Bill



196 Cow Parsnip



496 Collins and Cream.



52 meadow Rue




198



198



20 J.



198



20



199

224

197

19

97 one Berry



198 White Maidenhair




198



200 outlandish Golden Rod



199 Wood Pease



201 Buckthorn

V.V.

202




203



205.



204.




222

203 Lilly

Connally




202 Winter Cherry



205 Dorias wound
hoeb





204 Doadly night Shade






206 sweet mollilot

208 Hemp:




207 Wild Cucumbar

211.




202.



210.

210.

201 Buck-thorn



209 Clary



210 Wall Gillyflower



202 Winter Cherry








203 Master Wort

212 the flowers of Crowfoot




217 July


flower




216 the flower
of Yellow Pimpernel




215
Borage
flower



211 Liguorice



214 the flower of
Bryony



218



219.



219



220



221



220


219 Bastard white Hollibore



218 Thorn-Aple



220 Herb Cristopher



221 Hoath :





222



222



223



227



226



224



225

227


226

226 Birch

Tree



224 Marjorome



222 Round
Poundwort
wort.



227 Walnut Tree



225 Bramble



223 Penny Royal

B B B



228



229



230



231



232

233

229 *Columbine*



228 *Rosa*



231 *Sanicle*



230 *Lonage*



230





232



237




232



236




253



234



64



235

270


232



237 Gormander

Chick wood

232 Wood Roof




233 The Quichon Tree




236 white
Ladies Bedstraw



64 Roman Wormwood



239 Golden Saxifrage



235 Grook Valerian

232



238



239



240



241.



242



243.

276

241: Daisy Violets:

238 pillitory of the Wall

239 Hedge Parsley

240

Cowslips

243 the Alder Tree

242 Hemlock Crowwill

E.E.E.



244.



251



245.



245




253



251.



252



192

234

231

Sanicle

244 Goat Colandine

233

Quicker Tree

245 Wild - Angelica

245

232 Wood Roof

231

192 Doubt Foot


F. G. G.



245



246




249



250




250



248

249






248

248

249 the

Blow Pipe Tree:

251 the lesser Colandine



246 water Plantain

250



250 french





Sage

247 Hedge Hyssop



248 Grass of Parnassus





352



354



357




353



355



358



356



354


300

35

35

357 the white

Pipe Tree




352 Water Buttony



354



353 Stinging Orache



355 Black

Hollibore



356 Periwinkle



358 Solari



359 Smooth St. John wort

HHHH



359



132.



354

354




353

132 Nipple - wort



359 Bitter Sweet:



359



359



361 the Flowers of Ladies
Bedstraw



362 the Bell flower




363 Dodonaea
Eye bright



364 wild mint



360 Dutch Agrimony



K K K K.



369



364



369



369




369



366



369



369



369 Wall Rue



369



369



368 the flower of the Porse




365 Potato



369



367 Porse






369


Rue

366 Parsnip


L L L L



369




374



the Bay Tree:


372 Polypody:



372



371 Dwarf Fern




369 wall Rue



369




370



369



370 Horse Chornit



373

Laurus Tinus







189 Herb Robert

375 Scabious


377 Hoary St James wort



377



376 Saxifrage



378 Biting:
Arum



189 Herb Robert



375

Handwritten notes at the bottom of the page.



379



366



368



380



381



382

56 meadow Rue Crowfoot



379 Honddi Tongue



383 crow foot



382 white Bugle




387 Carranaisies



380 mild Artmart

379 *Handwritten label*



380 *Handwritten label*

381 *Handwritten label*



382 *Handwritten label*



383 *Handwritten label*



384 *Handwritten label*

